

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

What is claimed is:

1-16. (Cancelled)

17. (Currently Amended) A break-away mounting system for mounting an electronic device to a motorcycle that includes a motorcycle riser having an upper portion and a lower portion that at least partially attach a handlebar to the motorcycle, the break-away mounting system comprising:

a first bracket connectable to at least one of the upper portion and the lower portion with a fastener ~~the motorcycle~~;

a second bracket connectable to the electronic device and detachably connected to the first bracket, wherein rotation of the second bracket relative to the first bracket disengages the second bracket from the first bracket.

18. (Currently Amended) The break-away mounting system of claim 17, wherein the motorcycle includes a spacer ~~and a riser having lower and upper portions~~, and wherein the spacer extends above the upper portion and is connected to the first bracket.

19. (Original) The break-away mounting system of claim 17, wherein the first bracket further comprises a bar, and wherein the second bracket includes an attachment portion that is substantially C-shaped, and wherein the attachment portion is detachably connected to the bar.

20. (Original) The break-away mounting system of claim 17, wherein the electronic device is an audio device.

21. (Original) The break-away mounting system of claim 17, wherein the second bracket includes legs that contact the first bracket along a line of contact, and wherein rotation of the second bracket relative to the first bracket about the line of contact disengages the second bracket from the first.

22. (Original) The break-away mounting system of claim 17, wherein the first bracket includes an aperture, and wherein the second bracket includes a tail portion extending through the aperture.

23. (Original) The break-away mounting system of claim 22, further comprising a grommet disposed within the aperture.

24-32. (Cancelled)

33. (New) A break-away mounting system for mounting an electronic device to a motorcycle having a motorcycle riser, the break-away mounting system comprising:

a first bracket connectable to the motorcycle riser;

a second bracket connectable to the electronic device and detachably connected to the first bracket, wherein rotation of the second bracket relative to the first bracket disengages the second bracket from the first bracket, wherein the first bracket further comprises a bar, and wherein the second bracket includes an attachment portion that is substantially C-shaped, and wherein the attachment portion is detachably connected to the bar.

34. (New) The break-away mounting system of claim 33, wherein the electronic device is an audio device.

35. (New) The break-away mounting system of claim 33, wherein the motorcycle includes a spacer and the riser includes lower and upper portions, and wherein the spacer extends above the upper portion and is connected to the first bracket.

36. (New) The break-away mounting system of claim 33, wherein the second bracket includes legs that contact the first bracket along a line of contact, and wherein rotation of the second bracket relative to the first bracket about the line of contact disengages the second bracket from the first.

37. (New) The break-away mounting system of claim 33, wherein the first bracket includes an aperture, and wherein the second bracket includes a tail portion extending through the aperture.

38. (New) The break-away mounting system of claim 37, further comprising a grommet disposed within the aperture.

39. (New) A break-away mounting system for mounting an electronic device to a motorcycle riser, the riser including an upper portion, a lower portion, and a fastener that cooperate to attach a handlebar to the motorcycle, the break-away mounting system comprising:

a first bracket connectable to the riser, the fastener operable to attach the first bracket, the upper portion, and the lower portion to one another;

a bar including a first end and a second end, the bar attached to the first bracket; and

a second bracket connectable to the electronic device, the second bracket including a first clamp portion attachable to the bar near the first end and a second clamp portion attachable to the bar near the second end, the first clamp portion and the second clamp portion detachably connected to the bar.

40. (New) The break-away mounting system of claim 39, wherein the motorcycle includes a spacer, and wherein the spacer extends above the upper portion and is connected to the first bracket.

41. (New) The break-away mounting system of claim 39, wherein the first clamp portion and the second clamp portion each include an attachment portion that is substantially C-shaped, and wherein the attachment portion is detachably connected to the bar.

42. (New) The break-away mounting system of claim 39, wherein the electronic device is an audio device.

43. (New) The break-away mounting system of claim 39, wherein the first bracket includes an aperture, and wherein the second bracket includes a tail portion extending through the aperture.

44. (New) The break-away mounting system of claim 43, further comprising a grommet disposed within the aperture.

45. (New) The break-away mounting system of claim 39, wherein rotation of the second bracket relative to the first bracket disengages the second bracket from the first bracket.